



Wild Geranium

Native Plant & Tree Sale

Oxford County Soil & Water Conservation District
 17 Olson Road, Suite 3, South Paris ME 04281
 744-3119, oxfordcountyswcd@gmail.com

Light- F (Full), P (Partial), S (Shade)





























Paper Birch
















Garden Type- DA (Dry Areas), HB (Hummingbird , Birds, Butterflies), RG (Rain Garden, CA (Coastal Areas), FR (Fragrance), WA (Wet Areas), DF (Display Fruit)

















Orders are due by April 26th, 2019















Pick Up Date May 4th at Hooker Family Farm, 195 Pleasant Street, Oxford ME 04270










	<u>Scientific Name</u>	<u>Common Name</u>	<u>Comments</u>	<u>Light</u>	<u>Garden Type</u>	<u>Height</u>	<u>Plant</u>	<u>Price</u>
Perennials: Flowering Plants								
	<i>achillea millefolium</i> <i>Moonshine</i>	Yarrow	Clump-forming; compact; bright lemon-yellow flowers	F,P	HB	2'	#1	12.00
	<i>actaea racemosa</i> <i>Hillside Black Beauty</i>	Bugbane	Small; numerous; creamy white, strongly fragrant flowers late summer	P,S	FR	72"	#1	18.90
	<i>amsonia tabernaemontana</i>	Bluestar	Blue, tubular flowers; leaves turn golden yellow in fall	F,P	RG	3'	#1	12.00
	<i>asclepias tuberosa</i>	Butterfly Weed	Bright orange to yellow-orange flowers; long bloom period, attracts monarch butterfly larvae	F	HB,RG	18"	#1	12.00
	<i>aster novi-angliae</i>	New England Aster	Fall flowers are deep purple	F,P	HB,RG	24"	#1	12.00
	<i>caulophyllum thalictroides</i>	Blue Cohhosh	Blue fruits, back of border; Native American herb, berries are poisonous	P,S	DF	24"	#1	12.00
	<i>chelone glabra</i>	White Turtlehead	Interesting white flowers midsummer	P,S	RG,WA	24"	#1	10.80
	<i>coreopsis lanceolata</i>	Lance-leaved coreopsis	Yellow, daisy-like flowers; attracts butterflies	F	HB	24"	#1	10.35
	<i>echinacea purpurea</i>	Coneflower	Purple flowers; self seeds; attracts butterflies	F,P	HB	18"	#1	10.50
	<i>eupatorium perfoliatum</i>	Boneset	Clump-forming, small, fluffy white flowers late summer to fall	F	RG	24"	#1B	18.00
	<i>geranium maculatum</i>	Wild Geranium	Mounding habit; pink to lilac flowers for 6-7 weeks in spring	F,P	HB,RG	24"	#1	12.00

	<u>Scientific Name</u>	<u>Common Name</u>	<u>Comments</u>	<u>Light</u>	<u>Garden Type</u>	<u>Height</u>	<u>Plant</u>	<u>Price</u>
	<i>iris versicolor</i>	Blue Flag	Elegant form; blue-purple flowers, easy to grow.	F,P	WA,RG	24"	#1	10.80
	<i>liatris spicata</i>	Blazing Star/ Gayfeather	Clump-forming; deep purple flower heads in summer	F	HB,RG	48"	#1	11.55
	<i>limonium latifolium</i>	Sea lavender	Cut flower, light blue flowers in mid to late summer	F	HB	28"	#1SQ	14.70
	<i>lupinus perennis</i>	Lupine	Lavender blooms from late spring to early summer, scarify seeds	F,P	HB	30"	#1	12.00
	<i>lobelia cardinalis</i>	Cardinal Flower	Cardinal red flowers in late summer; great along streams, low wooded areas	F,P	HB	48"	#1B	10.35
	<i>monarda didyma fistulosa</i>	Wild Bergamot	Clump forming, mint family; aromatic leaves may be used in teas	F,P	HB, FR, RG	48"	#1	10.35
	<i>monarda didyma</i>	Bee Balm Gardenview	Rose-red flowers, long summer bloom period, leaves used for teas	F,P	HB,FR,RG	36"	#1	11.55
	<i>monarda didyma</i>	Bee Balm Purple Rooster	Royal purple flowers with spicy fragrance	F,P	HB,FR,RG	36"	#1	11.55
	<i>physostegia virginiana Ms Manners</i>	Obedient Plant	Flowers pink, leaves dark green; good cut flower	F,P,S	RG	24"	C300	11.55
	<i>polygonatum com humile</i>	Solomon's Seal	Arching stems; white flowers in early spring;groundcover for shade; poisonous	P,S	RG	18"	SP5	8.55
	<i>tiarella cordifolia</i>	Foam Flower	Delicate white flowers in early spring	P,S		6"	#1	12.60
Edible Plants								
	<i>rubus Darrow</i>	Blackberry	Firm, juicy honeysweet fruit, divide every 3rd year	F,P	DF	4-6'	9-12"	18.45
	<i>vaccinium angustifolium</i>	Lowbush blueberry	Sweet, matures mid to late summer	F,P,S	DF	1-3'	9-12"	15.45
	<i>vaccinium angustifolium Michigan</i>	Lowbush blueberry	Compact habit; rugged; hardy; durable; delicious	F,P,S	DF	1-3'	#1	14.25
	<i>vaccinium corymbosum</i>	Highbush Blueberry						
	<i>Blue Crop</i>		Light blue berries,mid-season	F,P	DF	4-6'	15-18"	14.40
	<i>Blueray</i>		Mid-July through mid-August- Tasty!	F	DF	5'	15-18"	17.25
	<i>Patriot</i>		Cold hardy; high production, early	F,P	DF	4-6'	15-18"	22.35

	<u>Scientific Name</u>	<u>Common Name</u>	<u>Comments</u>	<u>Light</u>	<u>Garden Type</u>	<u>Height</u>	<u>Plant</u>	<u>Price</u>
	<i>vaccinium macrocarpum</i>	American Cranberry	Berries ready for fall picking	F	DF	12"	#1	21.75
	<i>vaccinium vitis Koralle</i>	Lingonberry	Eat fresh, in desserts and juices; harvest July through August	F	DF	10-12"	#1	16.50
Vines and Ground Covers								
	<i>arctostaphylos uva ursi</i>	Bearberry	Best in poor, sandy, very acid soils; salt-tolerant; groundcover	F,P	DA, RG, CA	6"	#1	13.80
	<i>cornus canadensis</i>	Bunchberry	Spreading groundcover; white flowers in spring; red fruit in fall	P,S	DF	6"	#1B	20.55
	<i>gaultheria procumbens</i>	Checkerberry/ Wintergreen	Evergreen groundcover, leaves fragrant when crushed, reddish in fall	P,S	FR, DF	6"	#1	14.85
	<i>mitchella repens</i>	Partridgeberry	Delicate plant; red fruits persist into winter	S	DF	2"	SP5	8.55
	<i>parthenocissus quinquefolia Engelmanni</i>	Virginia Creeper	Vigorous vine; tough; maroon fall color; tolerates alkaline soil, on order	F,P,S	HB	50'	#1	18.60
Erosion Control and Wildlife Support								
	<i>alnus rugosa</i>	Gray Alder	Female catkins followed by fruiting cones resembling small pine cones	F,P	HB	25'	15-18"	18.90
	<i>amelanchier canadensis</i>	Eastern Serviceberry	Useful in edible and wildlife landscapes; yellow-gold fall color	F,P	CA, FR, WA, DF	20'	18-24"	25.05
	<i>amelanchier laevis</i>	Smooth Serviceberry	Useful in edible and wildlife landscapes; leaves are bronze in spring	F,P	FR, WA, RG	25'	18-24"	19.20
	<i>aronia brilliantissima</i>	Black Chokeberry	Clusters of white to light pink flowers in spring followed by glossy red fruits suitable for jams and jellies	F,P	RG	8'	18-24"	17.10
	<i>aronia melanocarpa</i>	Black Chokeberry	Spreads by suckering stems; wine-red fall color; good wildlife plant	F,P	WA, DF	6'	18-24"	17.10
	<i>cephalanthus occidentalis</i>	Buttonbush	Good for wetland plantings	F	WA	6'	12-15"	12.90
	<i>clethra alnifolia</i>	Summersweet	Mid to late summer blooms of sweetly fragrant flowers	F,P	HB, RG, FR, WA	3-8'	9-12"	15.30
	<i>comptonia peregrina</i>	Sweetfern	Aromatic foliage; interesting texture; good in dry, sandy soil	F,P	DA, CA, RG	3'	SP5	10.50

	<u>Scientific Name</u>	<u>Common Name</u>	<u>Comments</u>	<u>Light</u>	<u>Garden Type</u>	<u>Height</u>	<u>Plant</u>	<u>Price</u>
	<i>cornus amomum</i>	Silky Dogwood	Foliage is aromatic and resembles that of ferns	F,P	FR,WA,DF	2-4'	18-24"	17.10
	<i>cornus racemosa</i>	Gray Dogwood	Spreads by suckering stems; many birds eat its white fruits in fall	F,P,S,	CA,WA,DF	15'	15-18"	15.45
	<i>cornus sericea</i>	Dogwood, Red-Osier	Red stems attractive in winter; spreads by suckering stems; tolerates wet soil	F	RG,WA,DF	6'	18-24"	13.50
	<i>diervilla lonicera</i>	Northern Bush Honeysuckle	Spreads by Suckering stems; very hardy, adaptable, on order	S,P	HB	3'	9-12"	18.00
	<i>gaylussacia baccata</i>	Black Huckleberry	Flowers dangle in groups of 3-7, orange and red, berries are dark blue, almost black; edible and sweet	S,P	HB	3'	#1	18.90
	<i>ilex verticillata</i> <i>Southern Gentleman (M)</i>	Winterberry, Black Alder	One male plant enough to pollinate up to 6 female plants	F,P	RG, DF	10'	15-18"	17.10
	<i>ilex verticillata</i> <i>Winter Red (F)</i>	Winterberry, Black Alder	Bright red fruits persist into midwinter: excellent wetland plant	F,P	RG, DF	10'	15-18"	19.95
	<i>itea virginiana</i> <i>Little Henry</i>	Virginia Sweetspire	Fragrant, tiny white flowers in late spring to early summer	F,P	RG,FR	4'	9-12"	25.20
	<i>kalmia angustifolia</i>	Sheep Laurel, Lambkill	Adaptable to many soils; best in very acid soil; poisonous to mammals	F,P	HB,GA	3'	#1	19.20
	<i>lindera benzoin</i>	Spicebush	Dioecious. Attractive in fall, aromatic leaves when crushed	F,P	RG,FR	12'	9-12"	13.80
	<i>myrica pennsylvanica</i>	Northern Bayberry	Good for massing; useful in poor soils; aromatic foliage	F,P	DA, CA	6'	15-18"	25.20
	<i>physocarpus opulifolius</i>	Ninebark	Good hedge plant; bark provides winter interest, dense foliage for nesting	F,P		10'	15-18"	14.25
	<i>prunus maritima</i>	Beach Plum	Good for edible landscape; salt-tolerant	F	DA,HB,RG	6'	18-24"	17.10
	<i>prunus virginiana</i>	Chokecherry	Spreads by suckering stems; white flowers in spring; wildlife food source	F	HB	30'	2-2.5'	21.75
	<i>rhododendron canadensis</i>	Rhodora	Magenta flowers in spring; best in very acid soil	F,P	RG	3'	6-9"	16.50
	<i>rhododendron (ledum)</i> <i>groenlandicum</i>	Labrador Tea	Transplants well; good for moist-to-wet naturalized sites	F,P		3'	12-15"	19.50

	<u>Scientific Name</u>	<u>Common Name</u>	<u>Comments</u>	<u>Light</u>	<u>Garden Type</u>	<u>Height</u>	<u>Plant</u>	<u>Price</u>
	<i>rhus aromatica</i>	Fragrant Sumac	Dense; low-growing; pretty in autumn; attracts birds and butterflies; excellent bank stabilizer; grouse and turkey cover	F,P,	HB,CA,FR	2'	15-18"	17.10
	<i>rosa carolina</i>	Pasture Rose	Pink single flowers in midsummer; small red hips persist into winter	F	HB,CA,FR,DF	5'	9-12"	16.50
	<i>rosa virginiana</i>	Virginia Rose	Spreads by suckering stems; good in dry and seaside sites; good hedge	F	HB,CA,FR,DF	5'	12-15"	16.35
	<i>salix discolor</i>	Pussy Willow	Fuzzy flowers in early spring; good for naturalizing; tolerates wet soil	S	RG,CA	15'	2-2.5'	15.30
	<i>sambucus canadensis</i>	American Elder	Useful in edible landscapes; tolerates alkaline soil	F	DF	12'	15-18"	19.50
	<i>spiraea latifolia</i>	Meadowsweet	Clusters of tiny white flowers in summer; attracts butterflies	F,P	CA	4'	9-12"	13.80
	<i>spirea tomentosa</i>	Meadowsweet	Pink to rose-purple flowers midsummer to early autumn	F	CA,RG	4'	6-9"	11.25
	<i>viburnum cassinoides</i>	Witherod Wild-raisin	Spring flowers; noted for handsome fruit displays	F,P	HB,FR,DF	6'	15-18"	22.35
	<i>viburnum dentatum</i>	Arrowwood Viburnum	Durable; good for hedges; tolerates alkaline soil	F,P	DF	15'	9-12"	16.35
	<i>viburnum lentago</i>	Nannyberry	Good for wildlife and naturalized landscapes	F,P	DA,DF	15'	15-18"	18.15
	<i>viburnum trilobum</i>	Highbush Cranberry	Excellent fall foliage and fruit color; edible fruit	S,P	DF	10'	12-15"	14.40
	<i>xanthoxia simplicissima</i>	Yellowroot	Panicles of small, star-shaped reddish-brown to purple-brown flowers	P	WA	28"	3-6"	13.20
Trees								
	<i>abies balsamia</i>	Balsam Fir	Open growth in hot, dry locations; evergreen; coastal trees susceptible to adelgids	F,P	FR,WA	75'	18-24"	20.55
	<i>acer pensylvanicum</i>	Striped Maple	yellow flowers in May, moose and deer browse, makes great whistles	P,S		25'	18-24"	18.90

	<u>Scientific Name</u>	<u>Common Name</u>	<u>Comments</u>	<u>Light</u>	<u>Garden Type</u>	<u>Height</u>	<u>Plant</u>	<u>Price</u>
	<i>acer saccharum</i>	Sugar Maple	Excellent orange-red fall color; beautiful large shade tree	F,P		75'	12-15"	13.20
	<i>betula papyrifera</i>	Paper birch	Beautiful white bark year-round; tolerates poor, dry soils	F	DA	70'	2-2.5'	20.55
	<i>carpinus caroliniana</i>	American Hornbeam	Shades of yellow, orange and red in fall; extremely hard wood, street tree	P,S		35'	2-2.5'	16.35
	<i>crataegus crusgalli</i>	Cockspur Hawthorn	Glossy green leaves; 2" thorns; persistent dark red fruits	F	HB,CA,WA	30'	2.5-3'	20.25
	<i>nyssa sylvatica</i>	Black Gum	Excellent yellow-orange fall leaf color	F,P	CA	50'	18-24"	18.45
	<i>pinus resinosa</i>	Red Pine	Good windbreak; tolerates dry soils well; evergreen	F	DA	80'	18-24"	18.90
	<i>pinus strobus</i>	Eastern White Pine	Handsome specimen; not tolerant of salt; evergreen	F	DA	80'	18-24"	18.90
	<i>prunus serotina</i>	Black Cherry	Profuse spring bloom, used to make jams and jellies, flavor liquors, one of the best trees for wildlife area	F,P	HB	80'	#1B	17.10
	<i>thuja occidentalis</i>	N. White-Cedar/ Arborvitae	Useful hedge or specimen plant; susceptible to deer browse	F,P	CA	60'	18-24"	18.90
	<i>tsuga canadensis</i>	Canadian Hemlock/ Eastern Hemlock	Graceful evergreen; does not tolerate drought or windy sites; adelgid -susceptible	F,P,S		70'	12-15"	15.45

